ELSEVIER

Toxicology 92 (1994) 313–314

TOXICOLOGY

Volume Contents

Volume 92 (1994)

Publisher's Announcement ..... v–vi

Urinary DNA as an indicator of nephrotoxicity caused by endotoxin and gentamicin in mice **(Only the combination of both compounds causes DNA increase in plasma and delayed excretion in urine)**
A.-D. Le Lann, L.C. Bret, M.E. Delverdier, M.F. Amardeilh, C. Alary, G.J. Fournié (Toulouse, France) 1–10

Studies on the correlation between blood cholinesterase inhibition and 'target tissue' inhibition in pesticide-treated rats **Correlations between blood cholinesterase inhibition and activity in target tissues may be tissue- and time-specific)**
S. Padilla, V.Z. Wilson, P.J. Bushnell (Research Triangle Park, NC) 11–25

Effects of trifluoromethylaniline isomers on enzyme activities in lymphatic organs and hematology of the rat **(The para-substituted isomer is comparatively most active in producing hematological and enzymatic changes)**
L. Sebestová, J. Seifert, Z. Jiřička, G.F. Kolar (Praque, Czech Republic; Heidelberg, Germany) . 27–38

Oxidative stress induced by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin is mediated by the aryl hydrocarbon (Ah) receptor complex **(Evidence is presented that TCDD produces an oxidative stress in mice)**
N.Z. Alsharif, T. Lawson, S.J. Stohs (Omaha, NE) 39–51

Assessment of respiratory hypersensitivity in guinea-pigs sensitized to diphenylmethane-4,4′-diisocyanate (MDI) and challenged with MDI, acetylcholine or MDI-albumin conjugate **(The relation between respiratory irritation and allergic hyperreactivity is investigated)**
J. Pauluhn, U. Mohr (Wuppertal, Hanover, Germany) 53–74

Role of cytosolic copper, metallothionein and glutathione in copper toxicity in rat hepatoma tissue culture cells **(Metallothionein and glutathione determine the intracellular "free" copper and hence its cytotoxicity)**
O.M. Steinebach, H.Th. Wolterbeek (Delft, The Netherlands) 75–90

Aflatoxin B_1 reduces Na^+-P_i co-transport in proximal renal epithelium: studies in opossum kidney (OK) cells **(A dose-dependent effect was found)**
R.P. Glahn, D. Van Campen, T.P. Dousa (Ithaca, NY; Rochester, MN) 91–100

Differential effects of methylmercury on the phosphorylation of protein species in the brain of acutely intoxicated rats **(It is suggested that modification of functional protein species due to excess phosphorylation is the basis for the neurotoxic action of MeHg)**
H. Yagame, T. Horigome, T. Ichimura, J. Uchiyama, S. Omata (Niigata, Japan) 101–113

Potential mechanism of cadmium-induced cytotoxicity in rat hepatocytes: inhibitory action of cadmium on mitochondrial respiratory activity **(Cd induced acidification plays an important role in the inititation of deteriorative processes in mitochondria)**
T. Koizumi, T. Yokota, H. Shirakura, H. Tatsumoto, K.T. Suzuki (Chiba, Japan) 115–125

Lindane does not alter the estrogen receptor or the estrogen-dependent induction of progesterone receptors in sexually immature or ovariectomized adult rats **(A possible alteration in estrogen metabolism could also be excluded for the effects on uterine weight)**
S.C. Laws, S.A. Carey, D.W. Hart, R.L. Cooper (Research Triangle Park, NC) 127–142

0300-483X/94/$07.00 © 1994 Elsevier Science Ireland Ltd.
All rights reserved

Comparative in vitro effects of sodium arsenite and sodium arsenate on neuroblastoma cells **(Trivalent arsenic is more cytotoxic than pentavalent arsenic, but other parameters are differently affected)**
G. Repetto, P. Sanz, M. Repetto (Seville, Spain) 143–153

An enzyme-linked immunosorbant assay (ELISA) specific for antibodies to TNP-LPS detects alterations in serum immunoglobulins and isotype switching in C57BL/6 and DBA/2 mice exposed to 2,3,7,8-tetrachlorodibenzo-*p*-dioxin
and related compounds **(The ELISA may help to monitor immune function during long-term exposure of mice to TCDD)**
N. Harper, K. Connor, M. Steinberg, S. Safe (College Station, TX) 155–167

Reproductive and neurobehavioral effects of Allura Red AC administered to mice in the diet **(Little adverse effects were seen at levels 86 to 1430 times higher than human acceptable intake)**
T. Tanaka (Tokyo, Japan) 169–177

Effects of ICRF-186 [(L)1,2-bis(3,5-dioxopiperazinyl-1-yl)propane] on the toxicity of doxorubicin in spontaneously hypertensive rats **(A quantitative study on the presence of cardiac immune effector cells)**
J. Zhang, E.H. Herman, V.J. Ferrans (Laurel, Bethesda, MD) 179–192

Pharmacokinetics of aluminum 3-hydroxypyridin-4-one complexes: implications for aluminum redistribution subsequent to chelation therapy **(The data may eventually relate to the controversy about clinical safety of orally given chelating agents)**
D.D. Allen, C. Orvig, R.A. Yokel (Lexington, KY; British Columbia, Canada) 193–202

Investigations of the genotoxicity and cell proliferative activity of dichlorvos in mouse forestomach **(From DNA synthesis measurements it is concluded that dichlorvos induces papillomas by enforced cell proliferation)**
D.J. Benford, S.C. Price, J.N. Lawrence, P. Grasso, J.N. Bremmer (Surrey, UK; AN The Hague, The Netherlands) 203–215

In vitro selective toxicity of toxin T-514 from *Karwinskia humboldtiana* (buckthorn) plant on various human tumor cell lines **(Neoplastic cells from hepatic, pulmonary and colonic tissues were more sensitive than normal liver, lung or colon cells)**
A. Piñeyro-López, L.M. de Villarreal, R. González-Alanís (Nuevo León, Mexico) 217–227

Immunotoxicology

Use of animal studies in risk assessment for immunotoxicology **(One liner to arrive for this yet)**
M.I. Luster, C. Portier, D.G. Pait, D.R. Germolec (Research Triangle Park, NC) 229–243

Vomitoxin (deoxynivalenol)-induced IgA nephropathy in the B6C3F1 mouse: dose response and male predilection **(Males appear more susceptible than female mice to vomitoxin-induced IgA dysregulation and IgA nephropathy)**
D.M. Greene, J.I. Azcona-Olivera, J.J. Pestka (East Lansing, MI) 245–260

IL-4 production in mediastinal lymph node cells in mice intratracheally instilled with diesel exhaust particulates and antigen **(Intratracheal instillation of diesel exhaust particulates effects antigen-specific IgE antibody responses via local T cell activation)**
H. Fujimaki, O. Nohara, T. Ichinose, N. Watanabe, S. Saito (Ibaraki, Tokyo, Japan) 261–268

Immunotoxicity of sulfuric acid aerosol: effects on pulmonary macrophage effector and functional activities critical for maintaining host resistance against infectious diseases **(Repeated inhalation of sulfuric acid reduces functions of pulmonary macrphages)**
J.T. Zelikoff, M.P. Sisco, Z. Yang, M.D. Cohen, R.B. Schlesinger (New York, NY) 269–286

Minimal immunological changes in structurally malformed rats after prenatal exposure to cyclophosphamide **(In utero exposure of rats to cyclophosphamide is associated with gross malformations but minimal immunologic changes)**
E.M. Hessel, A. Verhoef, H. van Loveren, A.H. Piersma (Bilthoven, The Netherlands) 287–299

Book Review 301
Contents of Journals Relating to Toxicology 302–306
Author Index 307
Subject Index 308–312
Volume contents 313–314